SUPPLEMENT TO

The Gazette



of **Endia**

No. 15] NEW DELHI, SATURDAY, APRIL 19, 1958/CHAITRA 29, 1880

OFFICIAL PAPERS

Reported attacks and deaths from choiera, smallpox, plague and typhus in districts in India during the week ending the 22nd March, 1948

reported attacks	and don	eria iloni	weck	endin	g the	22nd March, 1958	TI CITO	, ti 10-10		TIM (2)	~	
	Сно	LERA S	MALLPOX	PL	AGUE		CH	OLERA	SMA	LLPOX	PL	AGUR
	C.	D. C	D.	C,	$\mathbf{D}_{\!\bullet}$		C.	D,	Ċ.	D.	C.	D.
	Andhra	Pradesh					Ke	ralac	ontd.			
		1.R."				Trichur			12	3	••	••
	_					Malabar .	•	••	42	24	978	_
	Asi	ee m				TOTAL .			92	34	••	
Cochar	••	I	1	••	••	Total for w/e 15-3-58			68	21	••	••
Nowgong -	••	••	1	••	••	Total for w/c 8-3-58		••	54	26	••	••
TOTAL	••	I	2	••								
Total for w/c 15-3-58		*7	*4	••	••	1	Madhy	e Pred	lesh			
Total for w/c 8-3-58	••	. 9	I	••			**	N.R."				
20002202 070 0 5 50	••	,	_			Madres						
	Bi	har				Madras City • •			+			
	"N	1.R.				Chingleput	٠٠	••	151	36 7	••	••
	_	•				South Arcot	5 30	24	47 66	7 20	••	••
		ıb ay				Tiruchireppelli .	٠.	-4	6	3	••	••
•	"N.	R.				Tanjor	••	••	••	1		••
	Delhi					Madurai	60	33	4		••	••
Delhi City		. 2	••	••	••	Remensthepuram .	12	7	13	I		••
New Delhi		3			••	North Arcot .	8	6	17	8		••
Delhi Notified						Sahem .	13	6	24	8	••	
Area Committee.		I	••	• •	• •	Coimbatore	••	••	40	9	•,	
Rural circles	••	2	• •	••	••	The Nilgiris	••	••	2	1	••	
TOTAL	••	8	• •	••	••	Kanya Kumamri .		••	6	4	• •	• •
Total for wie 15-3-58		6	I	••	••	Total •	128	76	376	98	••	••
Total for w/e 8-3-58	3	3	1	••	• •	Total for w/e 15-3-58	142	81	374	102	••	••
		77-a I-ak				Total for w/e 8-3-58	271	166	384	122	• •	••
н	imachal :	R."										
	14.	eR.					Manij	pur				
	Kera	1-				TOTAL	••	••	••		••	••
Trivandrum		8	4		••	Total for w/e 15-3-58	••	••	2	I	••	••
Quilon .		8	3	••	••	,, n, p, 8-3 -5 \$	••	••	2	••	••	••
Kottayam		. 2		••				Муюге	•			
Alleppey		20	••	••	¥ •			"N.R."				
Hanle					: D.=	Deaths; Nil. "N.	R." -	informa	tion no	t receiv	ed.	

Explanation of Symbols used: C.—Cases; D.—Deaths; ..—Nil. "N. R."—information not received.

* Revised cases and deaths are being reported in Kamrup Distt.

Reported attacks and deaths from cholers, smallpox, plague and typhus in districts in India during the week ending the 22nd March, 1958—contd.

	CHOLERA	SMAI	LPOX	PLA	GUE		CHO	LEGA	SMAL	LPOX	PLAC	3 UE
	C. D	, G.	D.	C.	D.		C.	D.	C.	D.	C.	D.
	Oris	02					Uttar I	Pradesi	1			
Cuttack	••	. 124	18	••	•	Agra	•		12	4		
Balasore	9	3 46	2	• •	• •	Aligarh .			31	12	• •	
Puri	21	5 230	27	••	•••	Allehabad .		_	4	Io	••	~ 0
Sambalpur	2	I 27	2		• •	Almora .	•	••	2		••	••
Baduh		2	I		••	Azamgarh .			18	3	••	••
Ganjam •	-	- ² 44	58		-	Ballia .		••	I		••	• •
Koraput	••	. 1	••	••	•	Bareilly .		••		3	•=	••
Mayurbhanj	I	2 51	8	•-	_	Varanasi .		••	7	5	••	
Dhenkanal		18	I	••	••	Basti	••	••	6	1		
Keonjhar	• •	20		••	••	Budaun		••	3	4	••	
Bolangir Patna	••	11	I		٠.	Bulandshahr .		••	12	2	••	• •
Sundergarh . •	12	11 15	8	••	* 1	Deoria .			33	17	••	
Kalahandi		. 38	5	• •		Dehra Dun		• •	I	- / 2		
TOTAL	45 2	2 827	131	••	••	Etawah .		••	46	14	••	••
Total for w/e 15-3-58	44 -	4 1009	183	٠.	••	Farrukhabad .	• ••	••		-	••	•
Total for w/e 8-3-58	18	6 737	129			Fatchpur .	• ••	••	2		••	••
	D	la-1				Faizabad .	• ••	• •		2	••	••
TOTAL .		licherry	0			Garhwal .	_	••	23 8	13	• •	••
		. 22	8	••	••		• ••	••		••	••	••
Total for w/e 19-3-58		21	3	• •	••	Ghazipur . Gonda	•	••	I	2	••	***
Total for w/e 8-3-58	••	I 35	II	••	••		• ••	••	4		••	••
	Pu	njab				Gorakhpur •	• ••	••	5	3	-	••
Hissar .	••	• 7	• •	••		Hemirpur .		***	6	3	••	••
Rohtak	••	••	1	••	••	Hardoi •		••	5	2	**	, .
Ambala .	• • •	. 5	I			Nanital	• ••	••	I	••	••	
Hoshiarpur .		· I	I	••	••	Jelaun •	• -	_	4	3	••	••
Jullundur			••	•	••	Jaunpur • •	••	• •	I	I	••	••
Ludhiana	••	. 2	• •	••	• •	Jhansi .	• ••	••	19	11		• •
Gurdaspur . ,		. 1	I	• •	-	Kanpur .	• ••	••	7 5	42	••	••
Patiala	••	I,	••		4.	Etah .	• ••	• •	I	I	•	٠
Bhatinda		6			• •	Kheri •	• ••	••	3	••	••	-•
Sangrur		6	I		• •	Lucknow .	••	••	87	22	• •	••
Total .		30	5	••		Mainpuri .		••	5	I	••	٠,
Total for 15-3-58		12	2			Meerut .		••	13	4		٠.
Total for 8-3-58	•	26	2	••		Moradabad .		••	44	13	••	••
	Raja	than				Mathura .	• ••	••	25	4	••	
	"N.]	ર."				Pratapgerh .	• ••		5			
	Trip	ıra				Pilibhit .			2	I		
	" N.					Rac Barcilly .			4	5	••	
Eı	plenation (of symbols	used :	— C	— Cases	; D.=Deaths; =	Nil ; " 1	√.R."—	Informa	tion no	ot recei	ived

Reported attacks and deaths from cholers, smallpox, plague and typous to districts in India during the week ending the 22nd March, 1958—contd.

	Сног	ed a	Smai	LLPOX	PLA	gus		CHOL	RDA	SMALLPOX	PL,	AGUR
	C.	D.	C.	D.	C-	D,		C.	D.	C. D.	Ç.	D.
Uttar Pradesh	-contd	l .						West I	Bengal			
Rampur .			14	4				For w/e 1	5-3-195	8		
Saharanpur			5				Burdwan .	. 5	I 15	9 45	••	••
Sitapur			3	I	••		Birbhpum .		. 5	2 30		-,
Tehri Garhwal			3				Bankura	• ••	- 4	I 10		••
Unnao .			10	6		.,	Midnapur .	. 12	4 7	1 24	٠.	
T'otal			554	221		.,	Hooghly .	. 11	4 3	4 11		
Total for w/e 15-3-58			699	236		••	Howrah .	. 24	ır 8	1 49	••	••
Total for w/e 8-3-58	***		412	148			24 Pargenas .	. 29	14 26	7 106	••	
103.2.202, 0 0 3 32		ost Ber	-	•			Calcutta	. 23	II 2	3 22		•••
		N.R."	THE .				Nadia	. 2	I 2	8 9		
Grand Total for Indi	8.	- ,,-					Murshidabad .		11	7 59	• •	••
(Bxcluding Andhra Pradesh, Bihai	r.						West Dinajpur		. 11	6 19		
Bombay, Himacha Pradesh, Madhya	ı						Darjeeling .			ı		
Pradesh, Mysore Rajasthan Tripura and West Bengal)	173	. 98	1,910	400			Malda		7	7 38		••
- •	1/3	90	1,910	499	••	••	Cooch Behar .			4 7		
Corresponding Total for w/e 15-3-5	58 <u>186</u>	105	2,198	553	••	••	Purulia		9	8 16		
Corresponding Total for w/e 8-3-58	3 289	172	1,662	440	••	••	TOTAL .	. 106	j6 117	0 445	••	• •
AR	RRAR	INFOR	MAT	ION				Bombe	١V			
		ibra P						For w/e 8-3	-			
		p/a 15-3		-			Greater Bombay	• ••	19	8 8	• •	
Srikakulam .		••	101	26	••		Ahmedabad .		5	8 11		
Visakhapatnam .		•••	69	21	•••	•••	Amreli .	• ••	. 16	4 35	-	••
	. 30	18	16	3	•••		Banaskantha	J	• 34			••
West Godavari .	. 36	16	76	11	•	•••	Baroda .	• •• •	7	0 14	.,	• •
Krishana	. 33	12	15	6	***	•••	Broach .			_		••
Guntur	. 13	7	86	11	•	-	Kaira .	• ••	. 9		••	***
Nellore	. 62	22	39	9		•••	Mehsana .	• ••	. 3		••	••
Kurnool	73	29	41	7	••	••	Gohilwad .			4	••	
Cuddapah .	. 31	15	43	12	•••	•••	M. Saurashtra			7 3	••	·
Anantapur	15	8	49	11		_	Sorath		.,	8 4		••
Chittoor			73	10		••	Zalawad .	• •• •	. :	3 I		• •
Werangal	••		2	3	• •	• •	Panchmahals .		. 18	3 ' 2		••
Karimnagar			r			• •	Sabarkantha .	•	. 6	5 5		
Nizamebad	••	••		2	••		Suret		. 12	• ••		• •
Medak			3	2	••		Ahemdnagar .		. (5 z		• 1
Nalgonda	30	10	9	ı	••	••	East Khandesh	. ,	- 278	3 4I	••	••
Mahbubnagar .	6	I	••		~	_	TP 1 1 -			•	••	
Hyderabad	13		20	I	••		Nasik .		1 25	-	••	••
TOTAL	342	138		163	••	••	Poons	• •• •	. 4	-		••
Explanat	_				Casos i		eaths;=NW. N.R	. – In formatio	n not re		•	J-

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd March, 1958—centd.

	CHOLARA	SMALLPOR	PLAGUE		CHOLERA	SMALLPOX	PLAGUE
	C, D,	C. D.	C. D.		C. D.	С. D.	C. D.
	Bombay	mtd.		J	Bombay— <i>cen</i>	ntd.	
Ratnagiri	4	2		Kolhapur	I	···	
North Satara	••	28 6		Nasik		10 16	
South Satara		22	••	Poone	•• ••	IO 2	
Sholspur	•	48 11	••	Ratnagiri			••
Thana .		5 I	••	_	**	14 3	••
West Khandesh		38 3	••	North_Satara	••	56 5	••
Akola		104 11	••	South satara	***	4	
Amraoti		27 7	••	Sholapur	•• · ·	60 13	
Bhandera	•• •••	5	***	Thena	••	9 1	•• ••
Buldhana	•••	99 13	***	West Khandesh .		38 4	••
Chanda .		246 18	•••	Akola	••	138 18	
Nagpur .	**	27 8	***				••
Wardha	•. ••	14 3	••	Amraoti	••	29 8	••
Yeotmal		48 20	••	Bhandara	••	5 I	
Bhir • •	•• ••	19 1		Buldhana	••	214 6	•• ••
Osmanabad	••	12 7	•. ••	Chanda		222 12	
Parbhani . :	••	ıı	•4	Nagpur		27 I7	
Total	, 7 I	1848 286	•• ••	Wardha		12 I	••
	• /	•		Yeotmal			
	w/e 15-3-1				••	43 9	••
Greater Bombay		232 58	**	Bhir · · ·	••	I	** **
Ahemdabad .		50 18	••	Namded	••	4 2	••
		52 10	••	Osmanabad		1 1	•••
Beneskantha	• •• ••,		••	Parbhani		2	••
		130 34	••	FOTAL .	ı	1831 364	•• ••
	• ••	16 6					
Kaira	• ••	75 8	•• ••		Punjab		
Mehsana .	• ••	14 12	••		For w/e 5-3-1	1958	
Panchmahal	•	25 8	••	Hisser	•• ••	ı	•• ••
Sabarkantha .		25 7		Ambala	•• ••	6 .,	
Surat	• •• ••	5 2	••	Hoshiarpur			
Heler	••		••		** **		••
Kutch Zalawad		3	••	Jullundur	•• ••	ı	••
Zalawad Ahmednagar .		2	••	Amritsar	••	3 I	••
Hast Khandesh		256 42	•• ••	Gurdaspur		1	••
Kolaba		2	•• ••	Total .		12 2	
	•			Deaths;Nil.	••	-	

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd March, 1958—concld.

			Сноци	KA S	SMALLP	OM.	Plag	TIB.		Cı	IOLERA	SMA	LLPoz	PlA	.GUE
_	_		C.	D.	C.	D.	C	D.		C.	D.	C,	D,	C,	D.
			М	ysore						My	ore-co	mtd.			
		For	w/e 15	-3-195	8				Bijapur	. 2	3	••		••	••
Bangalore					76	18			Dharwar .			4			• •
Chitaldrug		_		••	34	4	••	••	South Kanara .	••		8	I	••	••
Hassan			••	••	5	2	••		Coorg (Mercara) .			2			•••
Chikmagalu				••	3		••	••	Total .	213	78 ·	219	74		••
Kolar		•			10	3	••	. .			Delhi				
	•	•	••	••		1				Por w	4 15+3- :	1958			
Mandya	•	•	<u>-</u>	••	4		••	••	Delhi City .	•	• •	2	••	••	• •
Музоге	•	•	14	4	31	12	••	••	New Delhi	••	• •	2	• •	••	••
Shimoga	•	•	•-	**	28	7	••	••	Delhi notified Area committee • •		••		2		_
Bellary .	•	•	11	5	••	••	-•	••	Delhi Shahdara			_			
Bidar	•	•	• •	••	77	20	••	••	Municipality .	• ••	••	2	••		•
Raichur	•	•	183	54	15	9	• •	••	TOTAL .	• ••	••		1	••	• •
Balgaun		•	74	19	••	••	••	••		POLIO					
Bijapur	•	•	••		2	••	••	••	(Intorni	ation bas in imp	ortant h	ospitels) restec		
Dharwar			••	••	4	• •	••	••	Place Period		Cases	Dea	ths		
South Kan	ATE				18	6		••	West Bengal Sept		11		•	Par	etic
Coorg (Me	rcara)			•-•	II	2	••	••	do Oct. do Nov		15		•		do
TOTAL	•	•	282	87	318	84	••		do Dec		2 2 4		•		do do
			D	. 0	a #P				Punjab		5-3 5 8	15			do
			For w/e	0-3-1	930				Madras		-12-57	8			đo
Bangalore	•	•	••	••	44	25	••	••	do	F/e 1	5-1-58	13			do
Chitaldrug	•	•	••	••	I	••		8-8	do	F/ 3	1-3-58	10	••		do
Hassen	•		••	••	27	4	••	••	do		5-2-58	4			do
Kolar		•	••	••	10	7	••	••	do		31-2-57	16	• •	Non-p	
Mandya	•	•	••	••	16	I	••	••	do		15-1-58	6	• •		do
Mysore	•		5	5	44	16		••	do do	-	31-1-58 1 5-2-5 8		••		do do
Shimoga	•		••	••	2	2	••	••	uo	=	EMARK!		••		цo
Bellary			11	6	16	6			Constitution Co				i.d	nia C-	1
Bidar .			••		16	2	••	••	Small-pox.—Stathe districts of P	uri and	l Ganja	ım of	Ōrissa	State	
Gulberga	_		••	••	21	6		••	Madras City, du	ing th	e weel	k und	er rep	ort.	
_	•	•	162	49	8	4	••		Heavy incide	nce of	the	diseas	e was	rep	orted
Raichur	•	•		-		7			from the distr Orissa State and	icts of Luckno	t Cuti win U	tack, Jt tar P	mayu radesi	irbhan Stat	JOÉ e.
Be lg aum	٠	•	33	15	••	••	••	• •							- •

Explanation of Symbols used :—C =Cases ; D.=Desths; .. = Nil.

New Delhi-2 (India);
The 14th April, 1958.

H. R. SHARMA, for Registrar General, India.

							_			Death	from	1					
	ī	l'own	l		Mid-year Popn.Est. (coo)		B.R.*	c.	s.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
1	Andhra	Pre	des	b	\,			N.R."				•					
I	Assem						••)	N.R."									
1	Bihar						ŧq.	N.R."									
I	Bombay						14	N. R.'	,								
	Delhi																
Delhi (elhi	•	•	•.	1,372 589	399 200	15·1 17 7	••	••	••	31	4	17 4	••	84 107	3·2 9·4	21 35
NAC Ci Delhi	ivil Statio	n,	•		223	54	12-6	••	-	••	I	••	2	••	7	1.6	2
Delhi C Delhi Si	antt . hahdara .		:	:	62 50	30 43	25·2 44·7	••	••	::	• 6	••	1 2	••	1 12	0.8	
	Тота	i.		•	2,296	726	16.4	••	••	••	38	5	26	••	311	7.0	58
	Kerala								"N,R	,"							
	Madhy	a Pr	ader	h					" N.R.	,,							
	Madras																
Ambur Arruppi Bodinay	•	:	:	•	48 62	16 25	17·3 21·0	::	::	::	. 2	2 2	·.		2 12	10.1 5.3	
Chidam Coimbe Cuddalo	tore .	•	•	:	43 267 76	16 203 115	19·3 39·5 78·7	••	3	••	 2 2	3 5 2	 7 1	••	9 76 16	10·9 14·8 10·9	22 18 4
Dindigu Brode Gobiche	ıl etipalayan	it	:	:	1000 77	45 15	23°4 10°1	::	••	••	7	3	••	••	18 7	9°4 4•7	4
Gudiatt Kancher Karaiku	epuram	:	:		58 93	41 23	12.8 36.8	••		••		3 2	2 7	••	16 28	14·3 13·0	5 14
Karur† Kumtak Madras	conam .		:	: .	115 2,011	55 955	24·9 24•7	::	4 39	••	1 91	1 72	 144	•••	25 597	11·3 15·4	5 153
Madura Mayura Mattapa	m	:	:	•	488 53 43	260 35 10	27·7 34·3 12·1	••	•••	••	17 3 1	12 I	25 	··.	128 17 3	13·6 16·7 3·6	30 I 2
Nagapat Nageror Ootacur	M 1	:	•	:	62 109 53	35 16 29	29·3 7·6 28·5		••	••	7 —	ĭ	 3	••	12 14 11	10°1 6°7 10°8	3 2
Palni Palayam Perijkul	kottal am	:	:	:	44 48 35	17 35 10	20°I 37°9 I4°9	••	••	••	 2 	 2	7 2 1	••	10 15 6	8.8 16.3 11.8	1 2 1
Poliachi Puduko Rajapak	ttei	:	:	:	60 54 74	30 16 43	26·0 15·4 30·2	::		••	3 1 2	r •• 5	5 1 4	::	25 8 20	21·7 7·7 14·1	7 1 3
Salem Srianga Srivikip	m outtur	•	:	:	46 45	158 19 22	29.4 21.5 25.4	::	••	••	6 2	. 5 1	 	 	59 4 14	11-0 4'5 16-2	5 1 5
Tanjoro Tiruchi Tirunch	rappalli	•	:	•	133 276 184	42 81 33	16·4 15·3 20·4	••	••	•••	3 3 4	 4 	5 10 3	 I	37 60 1 6	9.9 11.3 9.5	8 5 5

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox, P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoca; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

						Dost	hs from	·					
Town	Midyear Popn -Bst		B,R,*	c.	s.	P.	_ 	D.D.	R.D.	M .D,	Total	D.R.•	I.D.
	(000)												
Madras-contd.													
Tiruppur	73	32	22.8		••	••	2	ı	4	••	9	6.4	I
Tiruyannamala Tuticorin	47 121	34 59	37 6 25.4	• •	••	••	ï	4	3 8	••	8 32	13.8 8.9	4 10
Vaniyambadi	_45	18	20.8			••	1	2	2		11	12.7	.4
Vellore Villapuram	141 42	19 106	39.I	••	•••	••	ř	5	I2 I	••	5 7 10	13.4 51.0	14 1
Virudhunagar	57	17	15*5	••			I	1			11	10.0	1
Total .	6,362	2,685	21•9		51		167	148	273	5	1,403	11.2	314
Mysore													
Bangalore	1246	349	14.6		8		6	42	69		204	8.5	7
Mysore Kolar Gold Fields	347 180	76 70	11.4	•••	3		16 4	I 2	4		81 43	12·1 12·4	·. 3
Bellary	83	12	7.5				3		4	••	16	10.0	1
Davangere† Shimoga	68	24	18.4	••	••	••	14	••	-	••	15	11.2	ı
Bhadravati† Hospet†		-4		•••	••			••	••	••	-5	,	•
Tumkur	51	40	40.8	••	••	••	8	• •	••	••	8	8-2	••
Kolar† Chitaldrug Hassan†	37	••	• •	••	••	••		••	• •	••	I	1.4	••
Bidar	43	16	19'3		3		2				5	6·o	
Gulberga Raichur	101 74	20	10.3	 3		••	2	••	3 2	••	7 8	3·8	3
Belgaum Bijapur†	110	132	62.4	••	••	••	4	2	4	٠.	69	32.6	4
Dharwar	85	20	12.3	••	••	••	••	••	2	••	8	4.9	
Mangalore Bagarkot Hubli†	-53	84 24	28·5 32·0	••			I I		2	ï	28 51	9°5	ĭ ••
Gadag (Bettigere)	73	37	26.4	••	••		8		2	• •	26	18.5	I
TOTAL	a,690	904	17.5	3	17	••	69	48	105	I	524	10.1	21
Orissa				c e	N.R."								
Pondicherry	4 0		4										
Punjab	68	71	54.3	••	**	••	4	7	I	2	23	17•6	16
Ambala	, 62	36	30.5	••	••		3	2	• •		9	7:5	3
Amritsar Batala	· 359	226 36	32·7 28·4	••	••	••	3 6	4	29 2	•••	77 14	11 2 11 0	20 6
Bhiwani .	. 59	28	24.7		•.	•••	5	ı	2	•••	10	8.8	2
Ferozepore† Histor	. 41	30	38.0	••	••	••	<i>7</i>	•	2	••	9	11 4	2
Hoshiarpux	54	33	31.8		I	••	2	1			6	5.8	
Juliundur Karnal	230 83	97 36	21.9	••	::	::	8 6		7 1	••	24 8	5.0 5.0	3
Ludhiana Moga†	. 194	119	31•9	••		••	5	••	8	••	36	9.6	4
Panipat .	• 72	21	15.2		••	••	5	1	I	••	7	5·I	3

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of Symbols used:—B. =Births; B.R. =Birth Rate; C. =Cholers; S. =Smallpox; P. =Plague; F. =Fevers; D.D. =Dysentery and Diarrhoes; R.D. =Respiratory Diseases; M.D. =Maternal Deaths; D.R. =Death Rate; I.D. = Infantile deaths (included in total deaths); ... = Nil information; "N.R." = Information not received.

								1	Deaths	from ;-	-					
	Town			Mid Popn. (00	Bst.	B. B.R.	• C.	s.	Р,	F.	D.D.	R,D.	M.D.	Total	D.R.•	I.D.
	Pw	njat	- c	ontd.												
Pathankot Rewari Robtak	:	:	:	36 40 96	31 1 5 50	44·8 19·5 27·1	••	•••	**	 2 3	•••	. i 3	••	3 6 9	4·3 7·8 4·8	 1 4
Simla Sonepat Bhatinda	:	•	•	53 36 4 5	23 21 29	22.6 30.3 33.5		::	 .	6 1		1 1	···	6 10 3	5.9 14.4 3.5	1 1 ••
Malerkotia Patiala	•			125	44	18.3	••	••	••	16		3	I	30	12.5	13
	Tor	VL.		1,651	875	27.6	• •	I		78	10	64	1	267	8.4	64
Raje	asthan															
Ajmer Alwar Beawar		•	•	244 61 65	85 39 8	18•1 33•2 6•4	••	3 17		18 2 4	2	 4	::	39 9 30	8·3 7·7 24·0	7 2 9
Bharatpur† Bikaner Churu†		•	•	117	60	26•7	••	7	••	2	2	6	ī	37	16.4	6
Gang <mark>anagat</mark> Jaipur Jodhpur†	•		•	65 419	2 86	1•6 10•7	••	4	:-	3 30	2	9	10	17 81	10.0 13.9	2 30
Kotah Sikar† Tonk†			•	83	5	3.1	••	I	• •	5	•••	4	••	15	9'4	4
Udaipur	•			121	7	3*0	••	••	••	I	••	• •	••	I	9.4	••
	TOTAL	•		1175	292	12.9	••	32	• •	65	7	29	11	229	10.1	50
U	tter Pr	ade	s h													
Agra Allahabad Amroha			•	404 372 61	400 150 44	51.5 21.0 37.6	::	::	••	8 1	3 1 1	57 26 14	••	107 55 37	13·8 7·7 31·5	22 11 8
Bahraich Varanasi Banda†	•	:	:	49 416	22 192	23°4 24°1	••	2	::	36 36	10	I 22	::	9 17 4	9·6 21·8	16
Barcilly Bastif Balliaf			•	206	69	17.5	••	••	••	7	I	12	••	2 9	7*3	Io
Bijnor Budaun Bulandshahi	:	:		33 55 45	20 40 17	37.9 31.6		ī		 5 4	I I	1 5 1		3 12 5	4°7 11 4 5'8	1 3
Chandausi Dehra Dun Btawah	•		•	44 186 65	34 96 60	40°2 26°9 48°1	••	 2 	••	2 5	 I	6 9 1	••	17 26 14	7:3 11:2	2 5 2
Faizabad Ay Farukhabad Ferozabad	-Patchgr			94 78 93	28 42 32	15°5 28°1 17°9	••	::	••	4 5 1	 2 	1 12 1	••	11 25 5	6·1 16·7 2·8	I I 2
Gestpur Ghaziabad Gonda	:	:		35 68 35	10 18 20	14°9 13°8 29°8	••	••	••	4 5 3		I 2	••	8 10 7	7.6 10.4	3
Gorakhpur Hapur Hardwar	•			65 73	35 36	28·1 25·7	••	::		11 8	••	••	::	15 12	12·0 8·6	6 4

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of Symbols used to B. = Births; B.R. = Birth Rate; C. = Cholers; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoes; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile deaths (included in total deaths); ... = Nil Information. "NR" Information not received

									Des	the from	ů!					
Town			Pop	id year n. Bst.	В.	B.R.*	C,.	. S .	Р.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
	Utter	Prac	lesh-	-contd.												
Hethras Jaunpur Jhansi .	•	•	•	65 5 9 132	39 20 60	31·3 17·7 23·7	••	 	••	22 3 23	1 	 4	•••	26 12 40	20.8 10.8	2. 1 8
Kanpur Kasganit				810	27 0	17.4	••	6	••	109	23	46	6	295	19.0	78
Khurja	•	•		41	24	30.2	••	••	• •	12	2	2	••	22	28.0	6
Koll-Aliga Lucknow Mathura		•	•	167 525 118	46 382 71	- 14.4 37.8 31.4	••	16 	,	20 27 8	2 18 2	8 46 6	••	35 181 23	10·9 17·9	9 24 7
Mau-Nath	Bhan	ian		39	14	18•7				I				5	6.7	I
Moerut Mirzapur		•	i	198 100	80 41	21.1 21.1	••	•••	••	6 6	3	7 I	••	18 13	4·7 6·8	3
Moradaba				165	130	41 · I				10	2	21	••	50	15.8	11
Muzaffarn: Pilibhit	oger .	•	•	81 47	4 6 37	29 6 41 0	••	ī	••	7 10	2 I	5	••	14	31'I	2 8
Rampurt Saharanpu Sambhalt	r.	•		178	99	29.0	••	••	••	33	••	3	••	43	12.6	12
Sitepur Shahjahan	pur .	:		52 112	24 73	24·0 33·9	••			.5 11	2 1	1 5	·. I	13 22	13.0	3 2.
•	Total			5,366	2,821	27.3		30	••	426	83	328	7	1,412	13-7	27
٧	Vest E	3en ge	ı				44	N.K."	•							
						AR	RRAR I	NFO	RMAT.	ION						
P	i a ţau	•				Supp	l-mentar	y for	w/s 8-	3 -195 8						
Karnel Panipat		•		83 72	37 36	23·2	••	••	••	4		1 2	••	,6 .5	3·6 3·8	2 2
	Rajas	sth.es	١.													
	•						For wie	8-3-1	958							
Jaipur Ajmer Jodhpur	:	•	:	419 244 233	75 34 66	9°3 7°2 14°8	••	2	••	30 3 6	••	5 3 7	••	59 11 33	7°3 2°3 7°4	21 3 4
Udaipur Bikaner Ko ^t ah	:		:	121 118 83	5 50 5	3.1 22.2 3.1	••	3	••	ı I	 I	I 9 2	••	2 25 8	2.0 11.1 0.0	1 5 1
Beawar Gangangar Alwar	•	:	•	65 65 61	8 3 18	6·4 2·4 15·3	••	11 2	• •	9 4 2	••	6 1	••	30 12 12	24.0 9.6 10.2	8 3
Sikar Tonk Bharatpur	:	:	:	55 46 39	1 3	0°9 3°4 18°7			••	 I	••	•••	••	1. 2	0·9 2·3	
-		•	•		14 282		••	••	••	•	• •		••	I	1.3	••
10	DTAL	٠	•	1,549	202	9.5	·· pplement	20		57	Ī	34	••	196	6•6	46
Tolous				470	0/1	12.0		=	v/e 1-3	-						
Jaipur Ganganagai Tonk		:	•	419 65 46	97 11 14	8·8 15·8	••	I I	:: <u>.</u>	8 8 81	4	14 2 1	••	159 17 3	19·9 13·4	37 3
Bikaner Churu . Kotah .	:	•	:	117 52 83	50 5 2	22·2 5·0 I.2		2 	···	2 I 2	2	6	··· ::	8 1 30	13·3 5·0	2
Sikar . Bharatpur Jodhpur	:	:	:	55 39 233	4 2 87	3·8 2·7 19·4	••	ĭ 		 6	···	··· 7	••	2 1 46	1.3 1.9	

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers & D.D.—Dysenterv and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths): ..—Wil information; "N.R."—Information not received.

	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		, the war			athe fro	m:—						
Tewn	Mid-year Popn.Est. (000)	В,	B.R.*	C.	s,	P.	P.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
	(,		Suppleme	ntary	For t	v/e 22-2	-58						
Bikaner	117	50	22'0	••		••	3		8		20	8.9	ı
Udaipur	121 65	-6 8	2·6 6.4	••	· ·	••	ī 5	••	1	••	7 8	3 O 6 4	
Canganaga.	0,5	Ü	Supplen			•• 10/6 I5~	_	••	••	• •	·	0.4	•
Bharapur	39	5	6.6			••	2-30 2				2	2.6	
	37	•	Supplem	entarv	for	w/e 8-2-	∢8						
Jodhpur	233	59	13-2		1	••	14		3	2	40	8.9	10
			Supplem	entary	for	w/e 15-	-3-58						
Jodhpur •	233	7 1	15•8	••	5	•.	14	I	6	I	48	10•7	4
Delhi				For a	w/e 15	-3-1 958							
Delhi City .	1,372	54I	20.2		••	••	65	7	89	2	255	9.7	49 6
New Delhi N.A.C. Civil	589	154	13.6	••	••	••	••	1	2	••	87	7.7	6
Station Delhi .	22 3	7 2	16.8	••	ĭ	••	••	••	6	• •	18	4, 5	8
Delhi Cantt. Delhi-Shahdara	62 50	35 69	29·4 71·8	••	••	••	·. 6	••	••		15	15.6	5
TOTAL	2,296	871	19•7	••	1	••	71	8	97	7	37 5		68
	,,_,	-,-	~,				,-	_	٠,	•	.,,,	_	
Kerala				w/s I	5-3 - 19	58							
Alleppey	195 44	43 15	11·5 17·7	• •		• •	• •	• •	• •	• •	29 I	7·7 1·2	6
Mattancherry	94	29	16·ó			•••	•••	1	••		11	6·1	••
Ernakulam	77 88	68	45.9	••	• •	••	2	2	••	••	- •	10.1	
Trichur	80 33	53 19	34·5 29 · 9	••	••	••	2	1	ï	••	14 9	9·1	• •
VC 1.18.3.	187	102	28.4				17	2	4	••	69	19.2	13
Palghat	82	26	16.5	••	••	••	••	I	• •	••	8 8	5·1 8·5	I
Cannanore	49	15	15.9	••	••	•••	••	••	3	••	0	0.2	I
Tellicherry • •	43	23	27•8	••	••	••	2	1	••	••	25	30.5	6
Total •	884	393	23.1	••	••	••	23	9	8	••	189	11.1	27
		_	_	ior w/e	8-3-19	58					_		_
Quilon Alleppey	82 195	80 92	50·7 24·5	•••	•••	•••	. ** 2	4 I	••	•••	52 10	33·0 2·7	
Changanacherry	44	12	14.2	••	••	••	• -	••	••	• •	2	2.4	1
Kottayam	55	76	71.9	•••		•••	•:	••		• •		6.6	••
Mettancherry Ernakulam	94 7 7	262 51	144·9 34·4	•••	•••	•••		3	••	•••	12 17	11.5	3
Trichur • • •	80	62	40.3				2			***	14	9·1	3
Cochin Kozhikode	33 187	21	33.1	•••	• •		2 8		1 7	•••	15	23.6	2 12
Roznikode	·	192	53'4	•••	• •	***	0	4	-	***	74	20.9	
Cannanore Tellicherry	49 43	11 24	29·0	•••	•••	•••	3 2	ï	3	ï	15 22	26·0	3 4
TOTAL	939	883	48•9	••	••	••	20	13	12	I	233	12.9	35
Madhaya Pradesh				for	w/s 1-	3-1958							
Indore	42 3	190 1 0 8	23.4	••	14	••	15	1	16	₩.	101	12.4	21 2
Greater Gwalior Ujjain	29 7 183	50	14·2 14·3	-	3 I	••	7	•••		2	19 28	8.0 3.3	5
Khandwa	64	13	10.6		I	••	.6 -0	••	•••	• •	II	8.9	••
Burhanpur Damoh	85 47	71 17	43 ° 4 18°8	••	29 ••	••	18 6	••		••	54 1 3	14.4 33.0	• •
Ratlam • •	82	11	11.4	•••	***	••	4	1		14	16	10·1 4·7	2 I
Mandsaur	44		9.5			•••	3	••		···	4		
Total	1,225	475	20.2	• •	48	•••	60	2	31	16	246	10.4	31

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Kespiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate]; I.D.—Infantile Deaths (included in total deaths); .. Nil information.

[†]Figures not available.

•		from	_
	PATNE	trom	1-

						<u>~</u>				<u> </u>					
Тоwn	L		Mid-year Popn. Est, (000)	В.	B.R.*	C.	s.	P.	F.	D.D	R.D.	M.D.	Total	D,R,*	I.D.
Madhya	Prade	sh —co.	ntd.		For _	m/s 22	-2-195	8							
Greater Gwalior .			297	70	12.3	•••			I	1			T.4	2.5	-
Jabalpur .	•	•	267	41	8.0	•••	7	•••	15	4	18	•••	14 51	2.5 9·9	I
Khandwa	:	:	64	19	15'4		6		2	***			11	8.9	••.
			_		_		_							_	
Burhanpur .		•	85	44	26.9	•••	16	***	11	2	•••	•••	43	26.3	•••
Ration	•	•	82	21	13.3	•••	•••	•••	3	7	5	9	15	9.2	6
Mhow Cantt .	•	•	52	15	15.0	• •	***	•••	••	•••	***	***	3	3.0	***
Damoh		•	47	10	11.1				1	I	-	,	Īī	12 · 2	***
Raigarh	•	-	39	6	8.0	•••	2		2		***	•••	4	5.3	•••
				_									•	-	
TOTAL .	•	•	933	226	12.6	••,	31	•••	35	15	27	9	152	8.5	8
					F	T ED/C	15-2-1	954							
Jabalpur .			267	41	8.0		7		25	4	9	1	68	13.2	22
Khandwa			64	34	27.6		ģ		5	i		••	23	18.7	••
Burhanpur			85	55	33.6		16		IŽ	r	••		5Î	31.2	• •
													-	_	
Mhow Cantt .	•	٠.	5 2	15	15.0				• •				I	1.0	•••
Itarsi .	• •	•	37	13	18.3	••	• •	• •	5			• •	II	15.2	***
Mendsaur	• •	•	44	7	8.3	• •	• •	• •	• •	••	• •	• •	• •	• •	•••
Raigarh .		•	39	7	9•3		2							5. 2	
_	•	-		,	y 5	**	-	••	••	••	••	••	4	5.3	•••
Total .	•	•	588	172	15.2	• •	34	• •	47	6	9	1	158	14.0	22
					F/	- enla	8-2-19	rQ.							
					2.1	<i>π</i> ω/•	0-2-19	שכ							
Jebalpur	•	•	267	115	22 4		11		15		II	2	6 0	11.7	21
Khandwa	•′	•	64	20	16.3		2	••	r				9	7.3	• •
Burhanpur	•	•	85	64	39.2	• •	12	• •	10	2	• •	• •	3 9	23.9	• •
Mhow Canit .			52		70.0								_		
Itarsi		•	3 2 3 7	19 10	19·0 14·1	• •	• •	• •	7	• •	• •	• •	2	2.0	
Mandsour		:	44	ÎÕ	11.8	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	••		•••	1	• • •	14 1	19.7	• •
•	•	-		=				••					_	_	•
TOTAL .	•	•	549	238	22.5	• •	25	••	33	2	12	2	125	11.8	21
Bombay					Ham	mia T.	3 -195 8								
2011010					1.07	w/• 1-	3-1930								
Ahmedabad .		•	970	619	33.2		3		34	17	128		466	25.0	115
Ahmednagar .	•	•	108	63	30.3				-7	-,	13	1.		19.7	^^6
Amalner	•	•	5 4	35	33'7	• •	• •		11		ž	• •		17.3	2
Baroda			266	T.F.			-			_		_	0-		
Barota	•	•	200	154	30.1	••	I	• •	23	I	23	1	89	17.4	15
Bhusawal		•	73	19	13.5	• •			I				5	3.4	
Broach			60								_		_	-	
Cambav	•	٠	68 42	49 20	37 · 5 24 · 8	••	• •	• •	14	• •	8	• •	33	25.2	4
Chalisgaon .			38	18	24 6	•••	6	••	5 3	• •	I	• •	2 0 I 3	24·8 17·8	4
_	-	•					•		3	••	•	• •	-3	1/-0	4
Dhulia		•	10 I	42	21.6				12		2		17	8.8	I
Godhra	•	•	41	35	44 4	• •	• •		4		2	• •	12	15.2	• •
Greater Bombay	•	•	4,117 1	,615	20.4	• •	41	• •	3	25	140		794	10.0	170
Jalgaon	_		88	30	17.7		r		~		-	-		70 - 4	
Kalyan	•	•	93	26	14.5			••	7 2		3 1		21 12	12·4 6·7	6
Kolhapur		•	181	77	22.1	•••	•••	•••	6	î	7		29	8.3	Ĭ
4.7.1										•	,		-,	- ,	-
Malegaon Miraj†	•	•	74	49	34.4	• •	I	• •	16	• •	2		21	14.8	I
Nadiad			78	47	31.3				•		_				_
	•	•		4/). J	••	••	••	3	• •	2	• •	26	17.3	6
Nandurbar		•	38	27	36.9				2		2		16	21.0	2
Nasik† Navaari			**	40										•	
	•	•	52	49	49.0	••	••	• •	10	••	5	••	26	26.0	4
Fandharpur		•	47	35	38.7				2	3	ż		13	[4-4	6
Peten	•	•	49	39	41.4		• •			2	4	• •		17.0	5
Poons	•	•	717	270	19.6	• •	• •	• •	3	4	17	1	100	7.3	20
Sangli			66	23	18.1				_		_			· #	
Satara	:	•	43	22	26.6	• •	• •	• •	2	1	4	• •		15·0	2
Sholapur		•	325	180	28.8	•••	2	••	2I	5	3 54	• •	12 :	14·5 28·3	28
*Tm come =6 ***					- ~	-				ر	J4		-//	-5 5	40

*In case of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of Symbols used:—B. Births, B.R. Birth Rate; C. Cholera; S. Smallpox; P. Plague; F. Fevers; D.D. Dysentery and Diarrhoea; R.D. Respiratory Diseases; M.D. Maternal Death; D.R. Death Rate; I.D. Infactile Deaths (included in total deaths); —Nil information.

[†]Figures not available.

								Deat	hs from	ı :—					
Town	1		id. Year pn. Est. (000)				 -								
Во	mbay—	contd.	(000)	В.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M,D.	Total	D.R.*	I.D.
Surat Thana Bhavnagar	: :	:	270 73 171	168 19 58	32·4 13·5 17·6	••			30 4 15	2 3 2	22 19		112 13 70	21·6 9·3 21·6	23 4 11
Dhoraji Gondal†		•	49	22	23.3		ı	• •	2	3	I	••	9	9.6	2
Jamnagar .	• •	•	138	10	3*8	• •	• •	• •	2	••	I	••	7	2.6	4
Junegarh Morvi Porbandar		:	66 44 68	32 5 15	25·2 5·9 11·5	••	3	• •	 	•••	3 	• •	31 2 17	24 4 2 4 13 0	. 4 5
Rajkot† Veraval Surendranagar	: :	•	50 52	19 9	19·8 9·0	•••		* *	9 2	••	3	•••	18	18·7 6·0	
Nagour Achaipur Akola	: :	:	602 39 110	140 33 77	12·1 44·0 36·4	•••		••	47 4 5	4 1	22 2 2	• •	241 17 25	20·8 22·7 11·8	47 8 4
Amravati Chanda Gondia	: :	:	111 45 56	89 37 7	41.7 42.8 6.5	 	2	••	6 3 2	3			44 20 3	20·6 23·1 2·8	10 4 1
Hinganghat Khagamon Wardha		:	37 47 51	15 26 26	21·1 28·8 26·5		••	••	2 7 I	 	2 1		7 12 9	9·8 13·3 9·8	2 4 3
Yeotmal . Kamptee . Aurangabad	: :	:	45 40 81	37 10 7	48·8 13·0 4·5		7 7 4	••	4 4	••	1 1 2		17 15 12	19·6 19·5 7·7	4
Latur Nanded Patbhani	: :		46 98 46	9 14 3	10-2 7•4 3·4	••	 4 2		5 1	 I			15 10 5	17·0 5·3 5·7	:.
Jelne†														•	
•	TOTAL	•	10,164	4,430	22.7	••	91		361	79	532	7	2,733	14.0	550
Andhr	a Prade	sh			for w/	• 15-3	-1958								
Adoni Anakapalli Anantapur	: :	:	72 42 51	32 19 2 0	23·1 23·5 20·4	::	I I 2	::	2 4	ï	4 4	٠٠ ا	10 21 25	7·2 26·0 25·5	5 1
Bhimavaram Chirala Chittoor	: :	:	41 48 50	26 30 69	33.0 32.5 33.0	••	•••		 2 5	 2			5 7 41	6·3 7·6 4 2·6	 15
Cuddapah · Eluru · Guntur ·	: :	:	46 108 168	18 32 91	20·3 15·4 28·2	::		••	5 6 6	1 1 4	4		17 31 53	19·2 14·9 16·4	4 4 12
Gudivada Guntakal Kakinada	<i>:</i> :	:	40 43 123	56 22 26	72·8 11·0	::	• •	••	3 2 5			· · ·	15 18 39	19·5 21·8 16·5	3 6
Kutnool Masulipatam Nandyal	: :	:	74 95 40	93 69 2 4	65·4 37·7 31·2			::	3 4	4 4 3	1 5		26 26 29	18·3 14·2 37·7	2 9 2
Nellore Prodduttur†		•	107	74	36.0	4	3	• •	6	4	8		48	2 3·3	••
Rajahmundry		•	137	19	7.2	••	I	• •	2	1			13	4.9	2:
Tenali Vijayavada. Visakhapatnam†	: :	•	76 2 53	40 113	23.3	2	ï	• •	2 8	3 5		7	23 65	13·4 13·4	5 23,
Vizianagram Hyderabad Secunderabad	: ;	:	81 1,291 188	28 482 84	23·3 19·3 18·0	••	2 2	••	1 26 2	3 2	33 4	::	24 120 36	15.4 4.8 10.0	3 5 4
Nizamabad Warrangal Kothagudiam	:	÷	81 173 143	11 25 10	7·1 7·1	••	2	••	¥ 8 •=•	••	•	3	4 21 ·2	2·6 6·3 0·7	
Total			3,719	1,513	21 • 2	7	20	• •	103	39 14 14 41	89 طم رہ		719	10·1	113

[•]In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Replanation of Symbols used :—B.—Births; B R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Pevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D. R.—Death Rate: I. D.—Infantile Deaths (included in total deaths); ...—Nil information.

Deaths from :--

						^				<u> </u>			_			
Tow	n			Mid-year Popn.Est. (000)	В.	B.R.*	C.	s.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Andhra	Prac	desh-	-contd			for	w/c 8-	-3 - 19 5 8								
Adonit																
Anantapur -				51	26	26.5				3	••	8	2	27	27.5	4
Anakapalli		•		42	20	24.8	••	I	••	3	••	I		18	22.3	ż
Bhimavaram				41	20	25.4	1			2	• •	1	٠.	8	10.1	
Chirala .	•	•	•	48	20	21.7	1	• •	• •	3	• •	2	• •	10	10.8	• •
Chittoor .	•	•	•	50	11	11.4	••	••	• •	2	••	2	I	12	12.5	• •
Cuddapah .				46	21	23.7	5			3		••	2	22	24.9	3
Ellore				108	29	14.0		• •		2	2	I		17	8-2	2
Gudivada .	•	•	•	40	4	5.2	• •	• •	• •	I	• •	••	I	6	7.8	• •
Guntakal .				43	22	26.6	• •	I		3	1	2		18	5.6	
Guntur .				168	7 I	22.0		I		3	• •	4	• •	50	15.5	6
Kakinada		•	•	123	39	16.5	• •	I	••	7	I	3	••	26	11.0	8
Kurnool .				74	37	26.0				4	4	2		27	19.0	5
M asulipatnam			•	95	39	21.3				1	Ī	I		17	9.3	4
Nandyal .	•	•	•	40	80	104·ŏ	7	1	• •	8	••	8	I	54	70.2	2
Nellore .				107	65	31.6		• •		4	4	I		38	18.2	9
Proddutur†						_									_	_
Rajahmundry	•	•	•	137	60	22.8	• •	• •	• •	3	1	4	••	22	8.4	6
Tenali				76	43	29.4		I		I	• •	3 8		15	10.3	5
Vijayawada				253	85	17.5		3		12	4		• •	59	12.1	16
Visakhapatnam	•		-	253 148	56	19.7	• •	13	- •	3	4	6	• •	38	13.4	• •
Vizlan [,] gram				81	24	15.4		4		3	5	1	٠.	26	16.7	2
Hyderabad .		•	•	1,291	718	28.9	••	, 5	• •	27	3	19	• •	110	4.4	6
Secunderabad	•	•	•	188	110	30.4	• •	1	••	3	I	6	2	4 7	13.0	11
Nizamabad				81	12	7.7		1		3		I		6	3.9	
Warrangal			•	173	20	6.0		• •	• •	5	• •	2	٠-	15	4.5	• •
Kothagudiam	•	•	•	143	12	4.4	• •	1	••	• •	••	••	••	3	I.I	••
Тота	N L			3,647	1,644	23.4	14	34	••	111	31	86	9	690	9.8	91

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of Symbols used:—B.=Birth; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; P.=Pevers; D.D.=Dyantery and Diagraph; R.D.=Renormal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

[†]Figures not available.

REMARKS

The figures of birt's and deaths shown in this statement for week ending the 22nd March, 1958 relate to 119 towns from the states of Delhi, Madras, Mysore, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population coverage of 19,608 thousands out of total population of 46,893 in 319 towns of the country. The number of births and

deaths recorded in these towns were 8,734 and 4,169 registering birth and death rates of 22.2 and 11.1 per thousand of population respectively

The towns Amroha and Belgaum have recorded high death rate of 31.5 and 32.6 in the states of Uttar Pradesh and Mysore respectively. The following table gives the registered rates for different States:—

States		Current w/e	22-3-1958	Corresponding w/e la	est year
		B.R.	D. R.	B. R.	D.R.
Delhi	•	16.4	7.0	28 · 1	7.4
Madras		21•9	11.2	39*3	17.2
Mysore		17.5	10.1	36•8	11.0
Pondicherry .	•	54:3	17.6	66.5	24.5
Punjab		27.6	8*4	41.1	9.3
Rajosthan .		12.9	10.1	13.1	11.2
Uttar Pradesh .		27.3	13.7	25.2	10.3
India	ı	22.2	11.1	32.5	12·1

New Delhi-2 (India);
The 14th April, 1958.

H. R. SHARMA, for Registrar General, India.